



Boise Cascade

DECKING

2 1/2" 350 or 1750 count

3" 350 or 1750 count

DARK BROWN FOR WOODLAND BROWN TREX

6320104 6320205 6320227 6320248

BROWN FOR SADDLE & BURN AMBER TREX

6320103 6320204 6320225 6320245

DK REDWD FOR MADIERA & CAYENNE TREX

6320115 6320216 6320235 6320225

GREY FOR WINCHESTER GREY TREX

6320109 6320210 6320230 6320250

2 1/2" 350 or 1750 count

3" 350 or 1750 count

2 1/2" or 3" 1000 ct for quick drive gun

BROWN FOR WOODLAND BROWN TREX

6400518 6400521 6400538 6400541
6400520 6400540

TAN FOR SADDLE & BURN AMBER TREX


6400506 6400512 6400528 6400531
6400510 6400530

GREY FOR WINCHESTER GREY TREX

6400496 6400502 6400523 6400526
6400500 6400525

RED FOR MADIERA & CAYENNE TREX

6400514 6400516 6400533 6400536
6400515 6400535



Red

B 18



TrapEase® Composite Deck Screw

#2 square drive



DARK BROWN



BROWN



DARK REDWOOD



GREY

SIMPSON

Strong-Tie

SIMPSON Compositi-Lok™ Composite

Deck Screw #2 square drive



Brown



Tan



Gray



Stainless Steel

Stainless steel available special order




Boise Cascade

DECKING




TABS ALLOW FOR
CONSISTENT BOARD-
TO-BOARD GAPPING

MADE OF UV
STABLE ENGINEERED
POLYCARBONATE
RESIN



DEEP #2 SQUARE
DRIVE PROVIDES
BEST BIT
ENGAGEMENT

ACQ APPROVED
CORROSION RESISTANT
COATING



Part Number	BOISE SKU	Sq. Ft. Per Box*
FMIQKIT-25	6320000	25
FMIQKIT-100	6320001	100
FMIQKIT-300	6320003	300

* Statement is based on 6" wide boards with 16" o.c. joist design. Square foot coverage may vary with joist spacing, deck design and deck board width.



Boise Cascade

DECKING



A



Green Box for 1-1/2" and thicker deck boards.

B



Blue Box for 5/4" deck boards. Composites measuring 1 1/8" or more.

C



Red Box for composites less than 1-1/8" or any hollow core. Hardwood decking min. of 3/4".


10 pack

Approx. 25 square feet of decking on 16" centers

100 pack

Approx. 250 square feet of decking on 16" centers

Apply DECKMASTER® Hidden Deck Brackets on alternating sides of all joists flat against the joist top. On perimeter joists, apply brackets end-to-end on the inside of the joist only. Fasten with DECKMASTER® Joist Screws through every other hole in the side of the bracket




ACQ Compliant

Outstanding corrosion resistance

Powder coating's natural wood color blends with the deck understructure

Highest uplift values of any hidden fastening system



LETTER	10 PK SKU	100 PK SKU
A	6807342	6807350
B	6807312	6807320
C	SPECIAL ORDER	SPECIAL ORDER